## LOK JAGRUTI UNIVERSITY (LJU)

## **INSTITUTE OF ENGINEERING & TECHNOLOGY**

## **Department of Artificial Intelligence and Data Science (705)**

## **Bachelor of Engineering (B.E.) – Semester – II**

| Course Code:                                   | 117052292 Teach                               |  |                |                 | hing Sche        | ing Scheme |                |
|--|---|--|----------------|-----------------|------------------|------------|----------------|
| Course Name: Computer Programming using Java-2 |   |  | Lecture<br>(L) | Tutorial<br>(T) | Practical<br>(P) | Credit     | Total<br>Hours |
| Category of Course:                            | Engineering Science Course (ESC)              |  | F              | 0               | 2                |            | 20             |
| Prerequisite Course:                           | Computer Programming using Java-1 (117052191) |  | 5              | U               | 2                | 0          | 30             |

|             | Syllabus  |   |                  |                   |  |  |  |
|-------------|---|---|------------------|-------------------|--|--|--|
| Unit<br>No. | Торіс   | Prerequisite Topic  | Successive Topic | Teaching<br>Hours |  |  |  |
| 01          | Abstraction & Interface with Runtime Polymorphism1.1 Dynamic method dispatch, Object casting and instance of<br>operator1.2 Abstract class, Abstract Method1.3 Interface: Implementation of Interface(Partial & Full)Extend Interface   | Inheritance (117052191 – Unit -<br>10)  |                  | 2<br>(7%)         |  |  |  |
| 02          | Introduction to Package2.1 Use of Package, Import statement, Access Modifiers2.2 Access control with example  | Inheritance (117052191 – Unit - 10)   |                  | - 2<br>(7%)       |  |  |  |
| 03          | Exception handling3.1 Types of Errors, checked and unchecked Exception3.2 Exception handling mechanism: Use of try, catch, throw, throwsand finally3.3 Built in Exception, Custom Exception   | Abstraction & Interface<br>(117052292 – Unit - 01)  |                  | - 3<br>(10%)      |  |  |  |
| 04          | Multithreaded Programming4.1 Introduction about Thread4.2 Thread life cycle4.3 Thread class and Runnable interface4.4 Thread methods: start(), run(), getName(), setName(), sleep(),<br>join(), isAlive(), wait(), notify(), currentThread()4.5 Synchronized Methods and Synchronized Blocks, Producer –<br>Consumer Problem solution using wait() & notify()   | Abstraction & Interface<br>(117052292 – Unit - 01)<br>Exception Handling (117052292<br>– Unit - 03) | <br><br><br>     | 4 (13%)           |  |  |  |
|             | Collection-Part 15.1 What is collection and need of it. Collection framework<br>Hierarchy,<br>Classes and interfaces in collections, Methods of Collection<br>interface: add(), addAlll(), clear(), contains(), isEmpty(),<br>iterator(), remove(), removeAll(), toArray().   |   |                  |                   |  |  |  |
| 05          | <ul> <li>5.2 List Interface:</li> <li>ArrayList: add(int index, E element), add(E e), clear(),<br/>ensureCapacity(int requiredCapacity), get(), set(), isEmpty(),<br/>lastIndexOf(Object o), remove(int index), sort(),size(), for each<br/>loop to print all elements indexOf(), lastIndexOf()</li> <li>Add Multiple element with Arrays.asList() in Constructor.</li> <li>Linked List: Linked list Creation, add(),add(int index, E<br/>element), addAll(), addFirst(), addLast(), clear(), contains(),<br/>getFirst(), getLast(), remove(), remove(int index), user iterator to<br/>print linked list elements</li> <li>Collections class : frequency(), reverse(), max(), min(), sort(),<br/>Comparator.comparing() to sort class objects by properties.</li> </ul> |   |                  | 3<br>(10%)        |  |  |  |
|             | <ul> <li>5.3 List Interface</li> <li>Vector: create vector, add(), add(index,element), capacity(), clear(), clone(), elementAt(int index), equals(Object o), isEmpty(), remove()</li> <li>Stack: Creating a Stack, push(E item), pop(),peek(), search(Object o), empty(), fetch value using iterator()</li> </ul>   |   |                  |                   |  |  |  |

| 1  |  |   |                |
|----|--|---|----------------|
|    | Collection-Part 2  |   |                |
| 06 | <ul> <li>6.1 Queue Interface: Priority Queue class : add(object), offer(object), remove(), poll(), element(), peek(): Print Queue using iterator</li> <li>Dequeue Interface: ArrayDeque class: ArrayDeque creation, add(Element e), addAll(Collection<? extends E> c), addFirst(Element e), addLast(Element e), clear(), getFirst(), getLast(), isEmpty(), offerFirst(Element e), offerLast(Element e), peek(), remove(), removeFirst(), removeLast(), size()</li> </ul> |   | <br>3<br>(10%) |
|    | <ul> <li>6.2 Set Interface: HashSet: add(), clear(), remove(), isEmpty(), size(), removeAll(), addAll(), equals(), print using iterator</li> <li>Map Interface: HashMap: create HashMap, size(), isEmpty(), remove(), put(), putAll(), getKey(), getValue(),print using iterator or foreach</li> <li>HashTable: put(), remove(), containsKey(), clear(),getKey(), getValue(),print using iterator or foreach</li> </ul>  |   | <br>(1070)     |
|    | IO Programming   |   |                |
| 07 | <ul> <li>7.1 Introduction to Stream, Byte Stream, Character stream</li> <li>7.2 File Class and its method, constructor of File Class, methods like : canExecute(), canRead(), createNewFile(), equals(), exists(), getAbsolutePath(), getName(), getParent(), getParent(), getParentFile(), getPath(), isDirectory(), isFile(), length(), listFiles(), mkdir(), list().</li> </ul>   | Constructor (117052191 – Unit -<br>08)  | <br>3<br>(10%) |
|    | 7.3 File Input Stream, File Output Stream  |   |                |
|    | Character Stream   | Γ   | 3              |
| 08 | <ul> <li>8.1 Readers and Writers class, FileReader, FileWriter</li> <li>8.2 Buffered Reader, InputStreamReader,</li> <li>8.3 RandomAccessFile with constructor and methods like: close(),<br/>readInt(), readUTF(), seek(), writeDouble(), writeFloat(), write(),<br/>read(), length(), getFilePointer()</li> </ul>  | IO Programming (117052292 –<br>Unit - 07)   | <br>(10%)      |
|    | JDBC Part-1  |   |                |
|    | 9.1 JDBC Architecture  |   |                |
| 09 | 9.2 JDBC Drivers, Steps to connect to Database, Connectivity with MySQL, DriverManager, Connection   | Abstraction & Interface<br>(117052292 – Unit - 01)<br>Exception Handling<br>(117052292 – Unit - 03) | <br>4<br>(13%) |
|    | 9.3 Types of JDBC statements: Statement, Prepared statement, Callable statement  | Iterator (117052292 – Unit - 05)  |                |
|    | JDBC Part-2  |   |                |
| 10 | 10.1 Database Metadata, Resultset Metadata   | JDBC Part-1 (117052292 – Unit   | <br>3          |
| 10 | 10.2 Storing image, Retrieving image, Storing file, Retrieving file, Stored procedures, and functions, Transaction Management(commit(). rollback(), setAutoCommit())   | - 09)<br>File, File Handling (117052292<br>– Unit – 07 & 08)  | <br>(10%)      |

| Sr No. | Practical Title   | Link to Theory Syllabus |
|--------|---|-------------------------|
| 1      | Write an application that generates custom exception if any value from its command line arguments is negative.  | Unit – 3                |
| 2      | Write a method for computing xy by doing repetitive multiplication. x and y are of type integer and are to be given as command line arguments. Raise and handle exception(s) for invalid values of x and y. Also define method main. Use finally in above program and explain its usage.  | Unit – 3                |
| 3      | It is required to maintain and process the status of total 9 resources. The status value is to be stored in an integer array of dimension 3x3. The valid status of a resource can be one of the 2followings:free: indicated by integer value 0 occupied: indicated by integer value 1 inaccessible: indicated by integer value 2  | Unit – 3                |
|        | Declare a class called ResourcesStatus, having data member called statusRef, referring to a two dimensional array (3x3) of integers to be used to refer to the above mentioned status values.   |                         |
|        | Define a member method called processStausCount that counts and displays total number of free resources, total number of occupied resources and total number of inaccessible resources. The exception to be raised and handled if total number of occupied resources exceeds total number of free resources. The handler marks status of all inaccessible resources as free. Accept initial status values from command line arguments and initialize the array. Raise and handle user defined exception if invalid status value given |                         |

| D  |   |          |
|----|---|----------|
| 4  | Write a complete program to accept N integer numbers from the command line. Raise and handle exceptions for following cases :<br>- when a number is -ve   | Unit – 3 |
|    | <ul> <li>when a number is -ve</li> <li>when a number is evenly divisible by 10</li> <li>when a number is greater than 1000 and less than 2000</li> </ul>  |          |
|    | - when a number is greater than 7000  |          |
| 5  | Skip the number if an exception is raised for it, otherwise add it to find total sumDeclare a class called book having author_name as private data member. Extend book class to have two sub  | Unit – 1 |
|    | classes called book_publication&paper_publication. Each of these classes have private member called title.<br>Write a complete program to show usage of dynamic method dispatch (dynamic polymorphism) to display<br>book or paper publications of given author. Use command line arguments for inputting data.   |          |
| 6  | Write a program that reads file name from user, through command line argument and displays/reads content  | Unit – 6 |
| 7  | of the text file on console.Write a program that reads file name from user, through command line argument and displays/reads content  | Unit – 6 |
| 8  | of the text file on console.Write a program to replace all "word1" by "word2" from a file1, and output is written to file2 file and   | Unit – 6 |
| 9  | display the no. of replacement.Write a program that counts the no. of words in a text file. The file name is passed as a command line<br>argument. The program should check whether the file exists or not. The words in the file are separated by  | Unit – 7 |
| 10 | white space characters.<br>Write a program to read the content of a file into a character array and write it into another file. Get names of  | Unit – 7 |
| 11 | the files from command lineRead employee salary and calculate the income tax based on 10% of income and store it in tax.txt file for  | Unit – 7 |
| 12 | five different employees<br>The abstract Vegetable class has three subclasses named Potato, Brinjal and Tomato. Write an application  | Unit – 1 |
|    | that demonstrates how to establish this class hierarchy. Declare one instance variable of type String that indicates the color of a vegetable. Create and display instances of these objects. Override the toString() method of Object to return a string with the name of the vegetable and its color  | Cint 1   |
| 13 | Write a program that illustrates interface inheritance. Interface P is extended by P1 And P2. Interface P12 inherits from both P1 and P2.Each interface declares one constant and one method. Class Q implements P12.Instantiate Q and invokes each of its methods. Each method displays one of the constants   | Unit – 1 |
| 14 | The Transport interface declares a deliver() method. The abstract class Animal is the superclass of the Tiger,<br>Camel, Deer and Donkey classes. The Transport interface is implemented by the Camel and Donkey classes.<br>Write a test program that initialize an array of four Animal objects. If the object implements the Transport<br>interface, the deliver() method is invoked.                              | Unit – 1 |
| 15 | Write a abstract class named Person and its two subclasses named student and Employee. A person has a name, address, phone number and email address. A student has enrollment course. An Employee has an office, salary, and designation. Define constructors and methods for input and display for both classes. Define constructor and methods for input and display for both classes. Write a main program to give | Unit – 1 |
| 16 | demonstration of all.         Write a complete multi-threaded program to meet following requirements:         - Read matrix [A] m x n   | Unit – 4 |
|    | <ul> <li>Create m number of threads</li> <li>Each thread computes summation of elements of one row, i.e. ith row of the matrix is processed by ith thread. Where 0 &lt;= i&lt; m.</li> <li>Print the results</li> </ul>   |          |
| 17 | Write an application that executes two threads. One thread displays "Good Morning" every 1000 milliseconds & another thread displays "Good Afternoon" every 3000 milliseconds. Create the threads by implementing the Runnable interface.   | Unit – 4 |
| 18 | Write a complete multi-threaded program to meet following requirements:<br>o Two threads of same type are to be instantiated in the method main.<br>o Each thread acts as a producer as well as a consumer.   | Unit – 4 |
|    | o A shared buffer can store only one integer information along with the source & destination of the information at a time.  |          |
|    | o The information produced is to be consumed by appropriate consumer.<br>o Both producers produce information for both consumers.   |          |
| 19 | o Each thread produces 5 informationWrite a multithreaded program to print all odd positive numbers in ascending order up to n, where n is a  | Unit – 4 |
|    | positive integer number given as a command line argument. Instantiate requited number of threads, where each thread except the last, examines next 50 numbers and the last thread examines remaining numbers up to  |          |
| 20 | n.<br>Write a complete multi threaded program to meet following requirements for producerconsumer threads:<br>- Three threads – one producer and two consumers to be instantiated in the method main.   | Unit – 4 |
|    | - At a time, the producer produces one integer information along with consumer_id to represent id of a consumer that will consume produced information.   |          |
|    | <ul> <li>Information and consumer_id are stored in a shared buffer.</li> <li>The information produced is to be consumed by appropriate consumer only, as specified by the producer.</li> </ul>  |          |
|    | - The producer thread produces total 6 information  | TTo: 4 A |
| 21 | <ul> <li>Write a complete multi threaded program to meet following requirements for producerconsumer threads:</li> <li>Three threads – one producer and two consumers to be instantiated in the method main.</li> <li>At a time, the producer produces one integer information along with consumer_id to represent</li> </ul>   | Unit – 4 |
|    | id of a consumer that will consume produced information.<br>- Information and consumer_id are stored in a shared buffer.  |          |
|    | - The information produced is to be consumed by appropriate consumer only, as specified by  |          |
|    | the producer.<br>- The producer thread produces total 6 information   |          |

| 22 | Consider Bank table with attributes AccountNo,CustomerName, Balance, Phone and Address. Write a database application which allows insertion, updation and deletion of records in Bank table. Print values of all customers whose balance is greater than 20,000. | Unit – 10 |
|----|--|-----------|
| 23 | Write a program using JDBC for getting personal information – name, birthdate, sex, address, phone no, email-id & store it in database. Also provide list of all records, all male, all female & all minors (age below 18).                                      | Unit – 10 |
| 24 | Write Java application program to change the basic $=$ basic $+$ 500 of all the employees whose age is greater then 40 from employee table then display how many record updated  | Unit – 10 |
| 25 | Give the use of Statement, PreparedStatement and CallableStatement object and Write code to insert three records into student table using PreparedStatement (assume student table with Name, RollNo, and Branch field ).   | Unit – 9  |

| Major Components/ Equipment |                                       |  |  |  |
|-----------------------------|---------------------------------------|--|--|--|
| Sr. No.                     | Component/Equipment                   |  |  |  |
| 1                           | Computer                              |  |  |  |
| 2                           | JDK, JRE, VS CODE, PhpMyAdmin, My SQL |  |  |  |

|  | Proposed Theory + Practical Evaluation Scheme by Academicians<br>(% Weightage Category Wise and it's Marks Distribution) |                            |   |             |                 |  |  |
|--|--|----------------------------|---|-------------|-----------------|--|--|
| L :  | 5  | T:                         | 0   | <b>P:</b>   | 2               |  |  |
| Note : In Theory Gro<br>Each Test will be of 2<br>Each Test Syllabus W | 25 Marks.  |                            | <ul><li>(4) will be conducted for each subject.</li><li>% - 30%</li></ul> |             |                 |  |  |
| Group (Theory or<br>Practical)   | Group (Theory or<br>Practical) Credit  | Total<br>Subject<br>Credit | Category  | % Weightage | Marks Weightage |  |  |
| Theory   |  |                            | MCQ   | 20%         | 40              |  |  |
| Theory   | 5  |                            | Theory Descriptive (Mainly Programming)                                   | 30%         | 60              |  |  |
| Theory   |  |                            | Formulas and Derivation   | 0%          | 0               |  |  |
| Theory   |  |                            | Numerical   | 0%          | 0               |  |  |
| Expected Theory %  | 50%  | 6                          | Calculated Theory %   | 50%         | 100             |  |  |
| Practical  |  |                            | Individual Project  | 25%         | 50              |  |  |
| Practical  |  |                            | Group Project   | 15%         | 30              |  |  |
| Practical  | 1  |                            | Internal Practical Evaluation (IPE)                                       | 10%         | 20              |  |  |
| Practical  |  |                            | Viva  | 0%          | 0               |  |  |
| Practical  |  |                            | Seminar   | 0%          | 0               |  |  |
| Expected Practical %   | 50%  |                            | Calculated Practical %  | 50%         | 100             |  |  |
| Overall %  | 100%   |                            |   | 100%        | 200             |  |  |

| Course C | Course Outcome   |  |  |  |  |
|----------|--|--|--|--|--|
|          | Upon completion of the course students will be able to   |  |  |  |  |
| CO1      | Apply concept of abstraction, interface, packages and Exception handling to create error free code.                              |  |  |  |  |
| CO2      | Implement multithreading in object programs, understand use of collection (ArrayList, LinkedList, Vector and Stack) in programs. |  |  |  |  |
| CO3      | Understand different kind of file I/O programming, use of collection (Queue, set, Hash Map and Hash Table) in programs.          |  |  |  |  |
| CO4      | Apply the concepts of JDBC, Transection processing, statement objects and Resultset to perform operations on Database.           |  |  |  |  |
| Suggeste | Suggested Reference Books  |  |  |  |  |
| 1        | Java: The Complete Reference, Tenth Edition (Complete Reference Series), Herbert Schildt – McGrawHill                            |  |  |  |  |
| 2        | Java Server Programming Java EE 7 (J2EE 1.7), Black Book Kindle Edition, Kogent Learning Solutions Inc – Dreamtech               |  |  |  |  |
| 3        | Core Java Volume IFundamentals, 11th edition, Cay Horstman – Pearson   |  |  |  |  |
| 4        | Core Java - An Integrated Approach Includes All Version Upto Java 8, Dr. R. Nageswara Rao – Dreamtech                            |  |  |  |  |
| 5        | Programming with Java by, E Balagurusamy – McGrawHill  |  |  |  |  |

| List of C | List of Open Source Software/Learning website  |  |  |  |
|-----------|--|--|--|--|
| 1         | https://www.javatpoint.com/java-tutorial   |  |  |  |
| 2         | https://www.tutorialspoint.com/java/index.htm  |  |  |  |
| 3         | https://www.geeksforgeeks.org/java/  |  |  |  |
| 4         | https://www.oracle.com/java/technologies/downloads/#jdk17-windows & https://notepad-plus-plus.org/downloads/ |  |  |  |
| 5         | https://www.programiz.com/java-programming/  |  |  |  |